EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 11:31
L2	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 11:31
L3	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L4	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L5	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 11:31
L6	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 11:31
L7	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 11:31
L8	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 11:31
L9	0	supres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L10	0	suppres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L11	0	suppres\$4 with WAW	USPAT	OR	OFF	2008/07/03 11:31
L12	4	suppres\$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L13	6	bypass\$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L14	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L15	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L16	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L17	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L18	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L19	2188	(return adj address) with (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L20	1359	(return adj address) near2 (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L21	0	(return adj address) near2 (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L 2 2	2	(return adj address) with (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L23	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L24	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L25	112	(return adj address) with stack with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L26	47	(return adj address) with stack near4 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L27	7	((return adj address) with stack near4 compar\$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L28	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L29	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L30	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L31	23	buffer near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L32	5	stack near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L33	112	(buffer or stack) near2 overflow near2 (management or prevention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L34	1569	(buffer or stack) near2 overflow near2 (management or prevent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L35	305	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L36	240	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L37	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 11:31
L38	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L39	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L40	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 11:31
L41	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 11:31
L42	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 11:31
L43	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 11:31
L44	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 11:31
L45	0	supres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L46	0	suppres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L47	0	suppres\$4 with WAW	USPAT	OR	OFF	2008/07/03 11:31
L48	4	suppres\$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L49	6	bypass\$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L50	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L51	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L52	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L53	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L54	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L55	2188	(return adj address) with (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L56	1359	(return adj address) near2 (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L57	0	(return adj address) near2 (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L58	2	(return adj address) with (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L59	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L60	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L61	112	(return adj address) with stack with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L62	47	(return adj address) with stack near4 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L63	7	((return adj address) with stack near4 compar\$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L64	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L65	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L66	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L67	2	"6289444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L68	163	712/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L69	394	712/209.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L70	160	712/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L71	787	712/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L72	104	712/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L73	57	712/231.œls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L74	646	712/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L75	1974	712/233-240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L76	720	712/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L77	755	712/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L78	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 11:31
L79	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L80	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L81	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 11:31
L82	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 11:31
L83	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 11:31
L84	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 11:31
L85	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 11:31
L86	0	supres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31

L87	0	suppres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L88	0	suppres\$4 with WAW	USPAT	OR	OFF	2008/07/03 11:31
L89	4	suppres\$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L90	6	bypass\$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L91	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L92	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L93	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L94	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L95	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L96	2188	(return adj address) with (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L97	1359	(return adj address) near2 (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L98	0	(return adj address) near2 (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L99	2	(return adj address) with (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L100	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L101	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L102	112	(return adj address) with stack with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L103	47	(return adj address) with stack near4 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L104	7	((return adj address) with stack near4 compar\$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L105	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L106	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L107	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L108	180	buffer near2 overflow near2 attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L109	152	buffer adj overflow adj attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L110	99	buffer adj overflow adj attack and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L111	91	buffer adj overflow adj attack and stack and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L112	74	compar\$ near2 return near2 address	USPAT	OR	OFF	2008/07/03 11:31
L113	14	L112 and overflow	USPAT	OR	OFF	2008/07/03 11:31
L114	3	L112 and (buffer near2 overflow)	USPAT	OR	OFF	2008/07/03 11:31
L115	50	branch adj control adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L116	381	branch near2 condition near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L117	23	branch near2 condition near2 register near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L118	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31

L119	443	condition adj code adj register with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L120	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L121	2553610	L120 carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L122	264	L120 and (carry near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L123	1592	(condition adj code adj register) or (processor adj status adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L124	3988	conditional near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L125	4930	condition\$3 near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L126	496	L123 and L125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L127	0	branch near2 condition adj register adj bit adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L128	45	branch near2 condition with register with bit with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31

L129	0	"branch on condition" and (condition adj code adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L130	0	"branch on condition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L131	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L132	1908	(condition adj code adj register) or (processor adj status adj (register or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L133	1263	L132 and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L134	56	"5604877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L135	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L136	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L137	0	"10672367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L138	32	"672367"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L139	41	francis.in. and mckeen.in.	USPAT	OR	OFF	2008/07/03 11:31
L140	8	francis.in. and mckeen.in. and stack	USPAT	OR	OFF	2008/07/03 11:31
L141	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 11:31
L142	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L143	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L144	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 11:31
L145	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 11:31
L146	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 11:31
L147	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 11:31
L148	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 11:31
L149	0	supres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L150	0	suppres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L151	0	suppres\$4 with WAW	USPAT	OR	OFF	2008/07/03 11:31
L152	4	suppres\$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	MOR	OFF	2008/07/03 11:31
L153	6	bypass\$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L154	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L155	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L156	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2008/07/03 11:31	*****
			DERWENT; IBM_TDB				
L157	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	
L158	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	
L159	2188	(return adj address) with (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	******
L160	1359	(return adj address) near2 (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	
L161	0	(return adj address) near2 (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	
L162	2	(return adj address) with (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	
L163	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	
L164	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	auu-
L165	112	(return adj address) with stack with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31	

L166	47	(return adj address) with stack near4 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L167	7	((return adj address) with stack near4 compar\$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L168	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L169	2	"6374350",pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L170	2	"5604877",pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L171	23	buffer near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L172	5	stack near2 overflow near2 management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L173	112	(buffer or stack) near2 overflow near2 (management or prevention)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L174	1569	(buffer or stack) near2 overflow near2 (management or prevent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L175	305	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/07/03 11:31

L176	240	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L177	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L178	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 11:31
L179	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 11:31
L180	0	supres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L181	0	suppres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L182	0	suppres\$4 with WAW	USPAT	OR	OFF	2008/07/03 11:31
L183	0	gochmann.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L184	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L185	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L186	2188	(return adj address) with (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L187	1359	(return adj address) near2 (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L188	0	(return adj address) near2 (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L189	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L190	112	(return adj address) with stack with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L191	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 11:31
L192	1	"6697774".pn	USPAT	OR	OFF	2008/07/03 11:31
L193	1	"5761470".pn.	USPAT	OR	OFF	2008/07/03 11:31
L194	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 11:31
L195	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 11:31
L196	2	(return adj address) with (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L197	4	suppres\$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L198	6	bypass\$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L199	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L200	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L201	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WOR	OFF	2008/07/03 11:31

L202	47	(return adj address) with stack near4 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L203	7	((return adj address) with stack near4 compar\$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L204	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L205	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L206	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L207	2	"6289444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L208	163	712/202.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L209	394	712/209.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L210	160	712/211.œls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L211	787	712/227.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L212	104	712/230.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L213	57	712/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L214	646	712/244.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L215	1974	712/233-240.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L216	720	712/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L217	755	712/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L218	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L219	49	sharangpani.in.	USPAT	OR	OFF	2008/07/03 11:31
L220	0	sharangpani.in. and hall.in.	USPAT	OR	OFF	2008/07/03 11:31
L221	0	supres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L222	0	suppres\$4 near2 WAW	USPAT	OR	OFF	2008/07/03 11:31
L223	0	suppres\$4 with WAW	USPAT	OR	OFF	2008/07/03 11:31
L224	0	gochmann.in.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L225	48	gochman.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	IIIOR	OFF	2008/07/03 11:31
L226	12	(return adj address) with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L227	2188	(return adj address) with (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L228	1359	(return adj address) near2 (multiple ajd stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L 2 29	0	(return adj address) near2 (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L230	1556	(return adj address) and stack and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L231	112	(return adj address) with stack with compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L 2 32	1	"6317820".pn.	USPAT	OR	OFF	2008/07/03 11:31
L233	1	"6697774".pn.	USPAT	OR	OFF	2008/07/03 11:31
L234	1	"5761470".pn	USPAT	OR	OFF	2008/07/03 11:31
L235	1	sharangpani.in. and stop adj bit	USPAT	OR	OFF	2008/07/03 11:31
L236	1	"5930508".pn.	USPAT	OR	OFF	2008/07/03 11:31
L237	2	(return adj address) with (multiple adj stack\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L238	4	suppres\$4 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L239	6	bypass\$3 with WAW	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L240	6	gochman.in. and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L241	12	return adj address with (first adj stack) with (second adj stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L242	53	(return adj address) with stack with exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L243	47	(return adj address) with stack near4 compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L244	7	((return adj address) with stack near4 compar\$3) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L245	2	"6351796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L246	2	"6374350".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L247	2	"5604877".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31

L248	180	buffer near2 overflow near2 attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L249	152	buffer adj overflow adj attack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L250	99	buffer adj overflow adj attack and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L251	91	buffer adj overflow adj attack and stack and address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 11:31
L 2 52	74	compar\$ near2 return near2 address	USPAT	OR	OFF	2008/07/03 11:31
L 2 53	14	L252 and overflow	USPAT	OR	OFF	2008/07/03 11:31
L254	3	L252 and (buffer near2 overflow)	USPAT	OR	OFF	2008/07/03 11:31
L2 55	50	branch adj control adj bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L 2 56	381	branch near2 condition near2 register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L257	23	branch near2 condition near2 register near2 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L258	443	condition adj code adj register with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31

L259	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L260	4930	condition\$3 near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 111:31
L261	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L262	1908	(condition adj code adj register) or (processor adj status adj (register or word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L263	264	L261 and (carry near2 bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L264	1592	(condition adj code adj register) or (processor adj status adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L265	496	L264 and L260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L266	2553610	L261 carry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L267	3988	conditional near2 branch near2 instruction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L268	1062	condition adj code adj register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31

L269	1263	L262 and branch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L270	0	"branch on condition" and (condition adj code adj register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L271	0	"branch on condition"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L272	0	branch near2 condition adj register adj bit adj value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L273	45	branch near2 condition with register with bit with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L274	0	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L275	O	"5604877.pn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L276	56	"5604877"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/03 11:31
L277	17	gochman.in.	USPAT	OR	OFF	2008/07/03 11:31
L278	3	gochman.in. and stack	USPAT	OR	OFF	2008/07/03 11:31

7/ 3/ 2008 11:44:31 AM

C:\ Documents and Settings\ tmeonske\ My Documents\ EAST\ Workspaces\ 10644399.wsp